



CHEMISTRY HIGHER LEVEL PAPER 3

Friday 9 May 2008 (morning)

1 hour 15 minutes

C	Candidate session number							
0								

INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper and your cover sheet using the tag provided.

0

• At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

$Option \ B-Medicines \ and \ drugs$

B1.	The	structures of morphine, codeine and heroin are shown in Table 21 of the Data Booklet.	
	(a)	State the type of chemical reaction used to convert morphine into the semi-synthetic opiate heroin.	[1]
	(b)	State the structural difference between the morphine and codeine molecules.	[1]
	(c)	State the main advantage and main disadvantage of using morphine as an analgesic.	[2]
	(d)	Outline two different types of social problem associated with the misuse of heroin.	[2]



B2.	(a)	(i)	Name the type of drug that increases mental alertness.	[1]
		(ii)	Explain the term <i>sympathomimetic drug</i> .	[1]
	(b)		the the sympathomimetic drug in smoking tobacco. Outline the short-term and term effects of its use.	[3]
		nam	e	
		shor	t-term effects	
		long	-term effects	
	(c)		tify two structural differences between amphetamine and the hormone it is chemically ed to.	[2]
	(d)	(i)	State the effect of caffeine on the urinary system.	[1]
		(ii)	Identify the functional group present in both caffeine and nicotine.	[1]

53.	(a)	drug that exists as a metal complex and name the disease it is used to treat. Draw the structure of the isomer that is not an effective drug.	[3]
	4		
	(b)	Thalidomide was effective in treating the symptoms of morning sickness in pregnancy. However, the drug also caused fetal deformities. Explain, with reference to the structure of the drug, why it caused these very different effects.	[4]
	(c)	Explain what is meant by <i>combinatorial chemistry</i> .	[3]



Option C – Human biochemistry

C1.	(a)		ne the type of compound formed when carboxylic acids and glycerol pane-1,2,3-triol) combine to form fats.	[1]		
	(b)	Stearic acid and linoleic acid are fatty acids that both have 18 carbon atoms in their molecular structure.				
		(i)	The melting point of stearic acid $(M_r = 284)$ is higher than that of linoleic acid $(M_r = 280)$. Suggest the difference in the structures of the molecules that accounts for the difference in their melting points.	[1]		
		(ii)	Explain how this difference results in linoleic acid having a lower melting point than stearic acid.	[2]		
	(c)	Dete	ermine the mass of iodine, I_2 , that reacts with one mole of linoleic acid.	[2]		

C2.	The	struct	ure of retinol (vitamin A) is given in Table 22 of the Data Booklet.	
	(a)	Iden	tify two functional groups present in retinol.	[2]
	(b)	State	e and explain whether retinol is fat-soluble or water-soluble.	[2]
	(c)	(i)	Name the light-sensitive substance in the rods of the eye formed from retinol and explain its function.	[3]
		(ii)	Name two diseases associated with retinol deficiency.	[2]



C3.	(a)	Explain the action of competitive inhibitors on enzyme-catalysed reactions and state how their action is affected by an increase in substrate concentration.	[5]
	(b)	Explain how the presence of mercury compounds in a person's diet might affect cell enzyme activity.	[3]
	(c)	Identify the type of enzyme used in biological detergents and outline how it works.	[2]

Option D – Environmental chemistry

D1.	(a)	Both CO_2 and N_2O are considered greenhouse gases. State one major natural and one major man-made source for each gas.	[4]
		CO_2	
		N_2O	
	(b)	State one reason, different in each case, why both CO_2 and N_2O are considered to be major contributors to the greenhouse effect.	[2]
	(c)	Increasing amounts of greenhouse gases in the atmosphere contribute to global warming. Discuss the effects of global warming on the environment.	[3]



D2.	Acio	Acid rain may be defined as rain with a pH of less than 5.6.						
	(a)	Identify an acid which originates from the burning of coal.	[1]					
	(b)	Write the equations which show how this acid is formed.	[2]					
	(c)	Suggest how the production of the acid formed as a result of burning coal can be reduced.	[2]					
D3.	(a)	List three main toxic types of chemical pollutants in water.	[2]					
	(b)	Nitrates in drinking water continue to raise concerns. Describe two sources of nitrates in drinking water and two possible health effects.	[4]					



D4.	Discuss how thermal inversions form and their effect on human health.							



Option E – Chemical industries

E1.	(a)	Limestone and coke are added to the blast furnace in the production of iron. For each of these raw materials, state its function and write an equation to illustrate this function.	[4]
		Limestone	
		Coke	
	(b)	Explain how iron produced in the blast furnace is converted to steel.	[4]

E2.	(a)	Describe how the manufacturing process used to produce polyurethane is modified to produce polyurethane foam. State two physical properties that result from this manufacturing process.	[2]
	(b)	Discuss two disadvantages of the use of polyurethane.	[2]
E3.		silicon is required for many electrical devices. Describe the extraction and purification of on from silica, ${ m SiO}_2$.	[4]



E4.	Discuss the free-radical mechanism involved in thermal cracking and the ionic mechanism in catalytic cracking. In your answer refer to conditions and provide equations.	[9]

Option F – Fuels and energy

F1.	List	two d	esirable characteristics of an energy source.	[2]
F2.	(a)		te the equations occurring at each electrode and the overall reaction for the rogen – oxygen alkaline fuel cell.	[3]
		nega	ative electrode (anode)	
		posi	tive electrode (cathode)	
		over	rall reaction	
	(b)	The	lead-acid storage battery is used in cars.	
		(i)	Write the equations occurring at each electrode when the battery is discharging.	[2]
			negative electrode (anode)	
			positive electrode (cathode)	
		(ii)	Explain why some lead-acid batteries need water added to them after some time.	[1]



F4.	(a)	Too few or too many neutrons can cause a nucleus to be radioactive. Predict a possible mode of decay for the isotopes $^{67}_{29}$ Cu and $^{147}_{62}$ Sm and write the nuclear equations illustrating this mode of decay.	[4]
	(b)	The half-life of the most common isotope of uranium, 238 U, is 4.47×10^9 years. Calculate the time taken for the activity of a sample to decay to 15 % of its original value.	[2]
F5.		lear waste can be classified as either high level or low level waste. Describe the characteristics ach type of waste and state one source of each type of waste.	[4]




Option G – Modern analytical chemistry

G1.	(a)	Identify an analytical technique that is suitable for each of the following.		
		(i)	Determining the concentration of copper ions in a sample of water.	[1]
		(ii)	Measuring the degree of unsaturation of an oil.	[1]
		(iii)	Detecting drugs in the urine of an athlete.	[1]
	(b)	Outl	ine how ¹ HNMR is used in body scanners to produce an image of a human body.	[2]
		···		F 43
	(c)	Disti	inguish between emission and absorption spectra by outlining how each is produced.	[4]



G2. A student was asked to predict the ¹H NMR spectrum of ethoxyethane, whose structure is shown below.




(a)	Dedi	uce the number of different environments for hydrogen atoms in ethoxyethane.	[1]
(b)		g Table 19 of the Data Booklet and the structure given for ethoxyethane, predict for environment:	
	(i)	the chemical shift in ppm; $ {\rm CH_3} \\ {\rm CH_2} $	[2]
	(ii)	the ratio of the areas under each peak;	[1]
	(iii)	the splitting pattern. CH ₃	[2]
		CH,	

(This question continues on the following page)



(c) The structure of butanone is shown below. State **one** feature of the ¹H NMR spectrum of butanone that differs from the ¹H NMR spectrum of ethoxyethane. [1]



(d)	All ¹ H NMR spectra have a peak at 0 ppm. Identify the substance that produces this peak and state its function.	[2]
(e)	Identify and account for two differences in the infrared spectra of ethoxyethane and butanone.	[2]

G3.	(a)	Using the water molecule as an example and including diagrams, describe what occurs at a molecular level during the absorption of infrared radiation.	[4]
	(b)	State the mathematical relationship between wavenumber and wavelength.	[1]



Option H – Further organic chemistry

H1. A common test which allows for the identification of ketones and aldehydes involves the use of 2, 4-dinitrophenylhydrazine.

(a)	Using X-NH-NH ₂ to represent 2,4-dinitrophenylhydrazine, write an equation for its	
	reaction with propanone.	[2]

(b)	Name the type of reaction that has occurred in part (a).	[1]
(c)	Explain how the product of the reaction in part (a) allows propanone to be distinguished from propanal.	[1]

H2.	Buta	n-1-ol can undergo an elimination reaction to form an alkene.	
	(a)	State the conditions used for this reaction.	[1]
	(b)	Give the mechanism for the dehydration of butan-1-ol, using curly arrows to represent the movement of electron pairs.	[5]
	(c)	Explain why a tertiary alcohol undergoes dehydration more readily than a primary alcohol.	[2]

Н3.	(a)	The following three compounds are heated separately with aqueous sodium hydroxide.	
		A. 1-chlorobutaneB. 2-chloromethylpropaneC. chlorobenzene	
		List these compounds in decreasing order of ease of hydrolysis (the compound most easily hydrolysed first). Explain your choice.	[3]
	(b)	Aqueous ammonia was used instead of aqueous sodium hydroxide as a reactant with 2-chloromethylpropane. State and explain how the rate of this reaction compares with the corresponding reaction in part (a).	[2]
	(c)	Explain why 2-chloromethylpropane does not undergo an $S_{\rm N}$ 2 mechanism.	[1]

H4.	One reason why the use of chloroalkanes is decreasing is because of their effect on the ozone layer. Describe, using equations, how gas phase reactions involving chloroalkanes affect the concentration of ozone in the atmosphere.	[4]
Н5.	Using Table 16 of the Data Booklet, explain the difference in pK_a values for the following compounds.	[3]
	 A. Chloroethanoic acid and ethanoic acid B. Chloroethanoic acid and trichloroethanoic acid C. Chloroethanoic acid and iodoethanoic acid 	

