

# 7.3 The Structure of Matter

## Question Paper


Course	DPIB Physics
Section	7. Atomic, Nuclear & Particle Physics
Topic	7.3 The Structure of Matter
Difficulty	Easy

**Time allowed:** 80  
**Score:** /66  
**Percentage:** /100

### Question 1a

The Rutherford-Geiger-Marsden Experiment provided evidence for the structure of the atom. The set up consisted of alpha particles being fired at a thin gold foil, with a detector to detect deflected particles.

The diagram shows some of the potential paths taken by the alpha particles.



(a)

Draw lines to connect the correct statements for each path of the alpha particle.

(i)	The majority of $\alpha$ -particles went straight through the gold foil	This suggested the nucleus is extremely small and where the mass and charge of the atom is concentrated
(ii)	Some $\alpha$ -particles deflected through small angles of $<10^\circ$	This suggested the atom is mainly empty space
(iii)	Only a small number of $\alpha$ -particles deflected straight back at angles of $>90^\circ$	This suggested there is a positive nucleus at the centre (since two positive charges would repel)

[3]

[3 marks]

### Question 1b

Since Rutherford's discovery, further discoveries about the nature of matter have been made.

(b)

Complete the following sentences with appropriate words or phrases:

The nucleus is made of \_\_\_\_\_ and \_\_\_\_\_, and these themselves are made of the fundamental particles known as \_\_\_\_\_. Any particle made of these is known as a \_\_\_\_\_. Another example of a fundamental particle is the \_\_\_\_\_.

[5]

[5 marks]

### Question 1c

One type of hadron is the  $K^+$  meson, which has a strangeness of +1.

(c)

(i)

State the quark composition of a meson

[1]

(ii)

State the baryon number of a  $K^+$  meson

[1]

(iii)

Show that the quark composition of a  $K^+$  meson is  $u\bar{s}$

[4]

[6 marks]

**Question 1d**

Electrons are an example of another type of fundamental particle called a lepton.

(d)

(i)

State the charge on a muon.

[1]

(ii)

State the mass of the electron neutrino.

[1]

(iii)

State the fundamental force which leptons do not interact with, but quarks do.

[1]

**[3 marks]**

**Question 2a**

The following particles are available:

$$p \quad \bar{n} \quad \mu^+ \quad e^+ \quad \gamma$$

(a)

Identify all examples of:

(i)

Hadrons.

[1]

(ii)

Leptons.

[1]

(iii)

Antiparticles.

[1]

(iv)

Charged particles.

[1]

(v)

Exchange particles.

[1]

**[5 marks]**

### Question 2b

Quarks can combine to give various baryons and mesons. The proton and neutron are the baryons which subsequently make up the nucleus.

(b)

State the quark composition of:

(i)

A proton.

[1]

(ii)

A neutron.

[1]

[2 marks]

### Question 2c

The proton has a charge of  $+1e$ .

(c)

Explain why the proton has this charge by referring to the charge of its constituent quarks.

[2]

[2 marks]

### Question 2d

Protons and neutrons are both examples of baryons. An electron is an example of a lepton

(d)

Complete the table below with the correct charge, baryon and lepton numbers for each particle.

	Charge	Baryon number	Lepton number
Proton, $p$	+1	1	
Anti-Neutron, $\bar{n}$			0
Pion minus, $\pi^-$	-1		0
Photon, $\gamma$	0	0	
Up quark, $u$	$+\frac{2}{3}$		0
Electron, $e$		0	

[6]

[6 marks]

### Question 3a

The four fundamental forces are mediated through exchange particles.

(a)

Define the phrase 'exchange particle'.

[2]

[2 marks]

### Question 3b

(b)

Draw lines to match the force with the correct exchange particle:

Fundamental force	Exchange particle
Electromagnetic	Pion/gluon
Strong	Graviton (theoretical)
Weak	$W, W^+, Z^0$
Gravitational	Photon (virtual)

[4]

[4 marks]

### Question 3c

(c)

Arrange the four fundamental forces in the boxes below the arrow in order of strongest to weakest.



[3]


[3 marks]



### Question 3d

Feynman diagrams represent particle interactions in the form of a diagram.

The following is a Feynman diagram showing beta-minus decay, with the exchange particle missing.



(d)  
Label the correct exchange particle on the diagram.

[1]

[1 mark]

### Question 4a

(a)  
State what is meant by the standard model of particle physics.


[2]

[2 marks]

### Question 4b

The standard model describes the fundamental particles that make up other sub-atomic particles.

One method of representing the standard model is as shown in the diagram below.



(b)

Complete the missing information in the boxes in the diagram.

[3]

[3 marks]

### Question 4c

Another more detailed way of showing the standard model is shown below, where the different fundamental particles are arranged on cards:

u up	c charm	t top	g graviton	H Higgs boson
d down	s strange	b bottom	$\gamma$ photon	
e electron	$\mu$ muon	$\tau$ tau	Z Z boson	
$\nu_e$ electron neutrino	$\nu_\mu$ muon neutrino	$\nu_\tau$ tau neutrino	W W boson	

(c)

By writing a letter in the correct box, identify:

(i)

Quarks, with the letter **Q**

[1]

(ii)

Leptons, with the letter **L**

[1]

(iii)

Gauge bosons, with the letter **B**

[1]

**[3 marks]**

**Question 4d**

The final particle on the standard model diagram in part (b) is the Higgs boson. It was predicted in 1964 and confirmed in 2012.


(d)  
State what the Higgs boson is responsible for.

[1]

[1 mark]

**Question 5a**

The following Feynman diagram shows a particle interaction.



(a)  
Label the axes of the Feynman diagram.

[2]

[2 marks]

### Question 5b

(b)

State:

(i)

The exchange particle in the interaction shown in part (a).

[1]

(ii)


The fundamental force represented by this exchange particle.

[1]

**[2 marks]**

### Question 5c

The Feynman diagram in part (a) represents part of the particle interaction



The composition of each particle in terms of quarks is:

- $\pi^- = d\bar{u}$
- $p = uud$
- $K^0 = d\bar{s}$
- $\Lambda^0 = uds$

(c)

(i)

Identify the two particles in this interaction which contain a strange or anti-strange quark.

[2]

(ii)

By considering the strangeness of each of the particles, show that strangeness is conserved in this interaction.

[3]

(iii)

State the interaction which does not conserve strangeness.

[1]

**[6 marks]**

### Question 5d

Quarks can only exist within hadrons, this is known as quark confinement.

(d)

Complete the gaps in the sentences below to describe confinement:

There are two types of hadron, \_\_\_\_\_ and \_\_\_\_\_. Quarks cannot be \_\_\_\_\_ but must be in pairs or triplets. Quarks are kept in place by \_\_\_\_\_. If an attempt is made to separate quarks, more \_\_\_\_\_ are produced using the energy required to separate them.

[5]

**[5 marks]**