

2.1 Motion

Question Paper

Course	DP IB Physics
Section	2. Mechanics
Торіс	2.1 Motion
Difficulty	Hard

Time allowed:	60
Score:	/44
Percentage:	/100



Question la

A rock is thrown off a cliff at a height of 150 m and lands 90 m away.

(a)

(i)

Calculate the speed at which it was thrown.

(ii)

State an assumption required to obtain your answer.

[1]

[2]

[3 marks]

Question 1b

(b)

Determine the angle at which the rock makes impact with the ground.

[2]

[2 marks]

Question 1c

The rock is loaded into a catapult and is launched at 40° elevation from the ground toward a castle wall, with a speed of 27 m s⁻¹. The castle wall is 50 m away and is 12 m high.

(c)

Determine whether the rock makes it over the wall.

[4]



Question 1d

(d)

Prove that the maximum range of any projectile that starts and ends at ground level is achieved when launched at an angle of elevation of 45°.

You may wish to use the double angle formula:

 $\sin 2A = 2\sin A \cos A$

[4]

[4 marks]

Question 2a

A truck driver's initial speed is 4.0 m s^{-1} when they begin to accelerate at 6.0 m s^{-2} . After 3.0 seconds, they decelerate at 5.0 m s^{-2} to stop at a set of traffic lights.

(a)

Calculate the distance between the traffic lights and the point where the truck began to accelerate.

[4]



Question 2b

(b)

Draw the velocity-time graph on the axes provided for the motion of the truck in part (a).



[4]

[4 marks]

Page 4 of 9



Question 2c

(c)

Sketch the displacement-time and acceleration-time graphs for the truck on the pair of axes provided. Label each axes appropriately.



[4]

[4 marks]

Page 5 of 9



Question 3a

An object is released near the surface of the Moon at time t = 0. The graph shows the variation of displacement s with time t of the object from the point of release.



(a)

(i)

State the significance of the negative values of s

(ii)

State an assumption about the point of release of the object.

[1] [2 marks]

[1]

Question 3b

(b)

Use the graph to determine a value for the acceleration of free fall close to the surface of the Moon.

[2]

[2 marks]



Question 3c

(c)

Use the graph to estimate the instantaneous velocity of the object at t = 1.5 s.

[3]

[3 marks]

Question 3d

(d)

(i)

Sketch, on the axes provided in part (a), a graph that would show the variation of displacement s with time t if the same object was released close to the surface of the Earth.

(ii)

Describe and explain the features of your sketch.

[2]

[2]



Question 4a

A projectile is launched from sea level at some angle to the ground θ with an initial velocity v.

(a)

On the axes below, sketch graphs to show how the horizontal and vertical components of the velocity of the ball v_x and v_y change with time t until the projectile hits the ground.

Assume that air resistance is negligible.



[4]

[1]

[3]

[4 marks]

Question 4b

(b)

In the space provided, sketch lines to represent:

(i)

The trajectory of the projectile as described in part (a) between the launch location and the point of impact. Label this line X.

(ii)

The trajectory of the same projectile, launched from the same location, if air resistance was not negligible. Label this line Y.

V	×	Ground
7		oround
[\] Launch location	Point of impact /	



© 2015-2023 Save My Exams, Ltd. Revision Notes, Topic Questions, Past Papers

