

5.2 Hess's Law

Question Paper

Course	DPIB Chemistry
Section	5. Energetics / Thermochemistry
Topic	5.2 Hess's Law
Difficulty	Easy

Time allowed: 60
Score: /45
Percentage: /100

Question 1a

a)
State Hess's Law.

[1 mark]


Question 1b

b)
State the type of system in which the total amount of matter present is always constant.

[1 mark]

Question 1c


c)
Using the image below, construct an equation that can be used to determine ΔH_r from ΔH_1 and ΔH_2 .



[1 mark]

Question 1d

d)
Complete the following Hess's Law cycle for the decomposition of copper carbonate.



[3 marks]

Question 2a

a)
Define *standard enthalpy of formation*, ΔH_f .

[2 marks]

Question 2b

b)
Write an equation to show the enthalpy of formation of 1 mole of the following compounds. Include state symbols in your equations.

Methanol, CH_3OH

Carbon dioxide, CO_2




Ethane, C_2H_6

[8 marks]

Question 2c

c)

Using the equations given, construct a Hess's Law cycle for the following reaction. Include the values for ΔH_f in your cycle.

**[3 marks]**

Question 2d

d)

Calculate the enthalpy of reaction, ΔH_r , for the reaction given in part (c).


[3 marks]

Question 3a

a)

Aluminium oxide reacts with magnesium to form magnesium oxide and aluminium in a displacement reaction via the following reaction.

Construct a Hess's Law cycle for this reaction



Enthalpy of formation	Enthalpy of formation (kJ mol^{-1})
$\Delta H_f(\text{Al}_2\text{O}_3)$	-1675.7
$\Delta H_f(\text{MgO})$	-601.7
$\Delta H_f(\text{Mg})$	
$\Delta H_f(\text{Al})$	

[4 marks]

Question 3b

b)

Outline why no values are listed for Al(s) and Mg(s) in the table given in part (a).

[1 mark]

Question 3c

c)




Calculate the enthalpy change of reaction, ΔH_r , for the reaction in part (a).

[2 marks]

Question 4a

a)

Determine the enthalpy change of reaction, ΔH_r , for the following equations if they are reversed.




[3 marks]

Question 4b

b)

Using the information given in part (a), determine the enthalpy change for the following reaction.




[1 mark]

Question 4c

c)

Using the information in the table, deduce which equation should be reversed to determine the enthalpy change for the following reaction.




Equation number	Equation	Enthalpy change (kJ)
1	$\text{Si} + \text{O}_2 \rightarrow \text{SiO}_2$	-911
2	$2\text{C} + \text{O}_2 \rightarrow 2\text{CO}$	-211
3	$\text{Si} + \text{C} \rightarrow \text{SiC}$	-65.3

[1 mark]

Question 4d

d)

Use the information in part (c) to produce an overall cancelled down equation which can be used to determine the overall enthalpy change for the following reaction.

**[2 marks]****Question 4e**

e)

Deduce the overall enthalpy change, in kJ, using the information in part (c) for the reaction $\text{SiO}_2 + 3\text{C} \rightarrow \text{SiC} + 2\text{CO}$

[2 marks]**Question 5a**


a)

State the equation required to calculate the enthalpy change of reaction, ΔH_r , given enthalpy of formation, ΔH_f , data.

[1 mark]**Question 5b**

b)

Using section 12 in the data booklet and the data in the table calculate the enthalpy change of reaction, ΔH_r , for the following reaction.




	SO₂ (g)	H₂S (g)
ΔH_f (kJ mol⁻¹)	-297	-20.2

[3 marks]

Question 5c

c)

Show how the equations can be used to produce an alternative route for this reaction.



	ΔH (kJ mol ⁻¹)
$\text{C}_2\text{H}_4 + 3\text{O}_2 \rightarrow 2\text{CO}_2 + 2\text{H}_2\text{O}$	-1411
$\text{C}_2\text{H}_6 + 3\frac{1}{2}\text{O}_2 \rightarrow 2\text{CO}_2(\text{g}) + 3\text{H}_2\text{O}$	-1560
$\text{H}_2 + \frac{1}{2}\text{O}_2 \rightarrow \text{H}_2\text{O}$	-285.8

[2 marks]**Question 5d**

d)

Calculate ΔH **[1 mark]**